



CHUANGBIAO TESTING

Test Report	Preventing forged queries Please scan the QR code	
No. : AJ25030012	Page 1 Of 4	

OVERALL RATING	
	PASS
	FAIL
√	DATA

The following sample(s) was/were submitted and identified by the client as			
APPLICANT	Yiwu Xinyu Trading Co, Ltd.		
ADDRESS	Room 202,Unit 1,Building 45, Dongshantou Village,Jiangdong Street, Yiwu City,Jinhua,Zhejiang Province, China		
SAMPLE DESCRIPTION	25cm Black Polypropylene Webbing		
BRAND	/		
COLOR	Black	CATEGORY#	/
STYLE No	/	PO No	/
COUNTRY OF DISTRIBUTION	/	COUNTRY OF ORIGIN	/
FIBRE CONTENT	/	WEIGHT	/
FABRIC CONSTRUCTION	/	COUNT	1
RETEST	/	PREVIOUS REPORT No	/
SAMPLE RECEIVING DATE	2025-03-11	TEST COMPLETION DATE	2025-03-13
Vendor Proposed			
Care Instruction:			

Remark

- Test Items : For further details, please refer to the following page(s)
- Test Methods : For further details, please refer to the following page(s)

Conclusion:For further details,please refer to the following page(s)



Yiwu Chuangbiao Tesing Technology Services Co., Ltd
 Address: Room 201, 2nd Floor, Building 2, No. 7 Yongjin Road, Futian Street, Yiwu City, Jinhua City, Zhejiang Province, China. Contact information: 15067582799
 Note: 1. The entrusted inspection is only responsible for the sample and does not assume any other joint liability; 2. The sample information is provided to the customer, and the laboratory is not responsible for its authenticity; 3. If there are any objections to the inspection report, they should be raised to the testing unit within 30 days from the date of receiving the report, and no longer accepted after the deadline;4. This report is invalid without the signature or alteration of the approver, and is invalid without the "Inspection and Testing Special Seal"; 5. The responsibilities undertaken by our company shall not exceed a total amount of 5 times the service fee payable as stipulated in the corresponding contract.



CHUANGBIAO TESTING

Test Report	Preventing forged queries Please scan the QR code	
No. : AJ25030012	Page 2 Of 4	

TEST ITEM	RESULT	REMARKS
Azo	D	
P=PASS. F=FAIL. D=DATA.		

Signed for and on behalf of

Yiwu Chuangbiao Testing Technology Services Co., Ltd

(Wangkaihuan)Authorized Engin



Test seal

Date of Approval:03,13, 2025



Yiwu Chuangbiao Testing Technology Services Co., Ltd

Address: Room 201, 2nd Floor, Building 2, No. 7 Yongjin Road, Futian Street, Yiwu City, Jinhua City, Zhejiang Province, China. Contact information: 15067582799

Note: 1. The entrusted inspection is only responsible for the sample and does not assume any other joint liability; 2. The sample information is provided to the customer, and the laboratory is not responsible for its authenticity; 3. If there are any objections to the inspection report, they should be raised to the testing unit within 30 days from the date of receiving the report, and no longer accepted after the deadline; 4. This report is invalid without the signature or alteration of the approver, and is invalid without the "Inspection and Testing Special Seal"; 5. The responsibilities undertaken by our company shall not exceed a total amount of 5 times the service fee payable as stipulated in the corresponding contract.



CHUANGBIAO TESTING

Test Report	Preventing forged queries Please scan the QR code	
No. : AJ25030012	Page 4 Of 4	

Appendix:

Test Item(s)		Unit	MDL	Test Result(s)
	CAS No.			
Prohibitive aromatic amines				
01. o-Toluidine/2-aminotoluene	95-53-4	mg/kg	5	N.D.
02. 2,4-Dimethylaniline,	95-68-1	mg/kg	5	N.D.
03. 2,6-Dimethylaniline,	87-62-7	mg/kg	5	N.D.
04. o-Anisidine/2-Methoxyaniline,	90-04-0	mg/kg	5	N.D.
05. P-chloranilin/4-Chloroaniline,	106-47-8	mg/kg	5	N.D.
06. 2-Methoxy-5-methylaniline,	120-71-8	mg/kg	5	N.D.
07. 2,4,5-Trimethylaniline,	137-17-7	mg/kg	5	N.D.
08. 4-Chloro-2-methylaniline,	95-69-2	mg/kg	5	N.D.
09. 2,4-Diaminotoluene/4-methyl-m-phenylenediamine	95-80-7	mg/kg	5	N.D.
10. 2,4-Diaminoanisole/4-methoxy-m-phenylenediamine	615-05-4	mg/kg	5	N.D.
11. 2-Naphthylamine,	91-59-8	mg/kg	5	N.D.
12. 2-Amino-4-nitrotoluene,	99-55-8	mg/kg	5	N.D.
13. 4-Aminobiphenyl/xenylamine/Biphenyl-4-ylamine	92-67-1	mg/kg	5	N.D.
14. 4-Aminoazobenzene,	60-09-3	mg/kg	5	N.D.
15. 4, 4'-oxydianiline	101-80-4	mg/kg	5	N.D.
16. Benzidine,	92-87-5	mg/kg	5	N.D.
17. 4,4-Diaminodiphenylmethane/4,4-methylenedianiline,	101-77-9	mg/kg	5	N.D.
18. 4'-Amino-2,3'-dimethylazobenzene/ 4-o-tolylazo-o-toluidine/o-Aminoazotoluene,	97-56-3	mg/kg	5	N.D.
19. 3,3'-Dimethy-4,4'-diaminodiphenylmethane/ 4,4-methylenedi-o-toluidine,	838-88-0	mg/kg	5	N.D.
20. 3,3-Dimethylbenzidine/4,4'-bi-o-Toluidine,	119-93-7	mg/kg	5	N.D.
21. 4,4'-Thiodianiline,	139-65-1	mg/kg	5	N.D.
22. 3,3'-Dichlorobenzidine/ 3,3'-Dichlorobiphenyl-4,4'-ylenediamine,	91-94-1	mg/kg	5	N.D.
23. 4,4'-Methylene-bis(2-chloroaniline)/ 2,2'-dichloro-4,4'methylene-dianiline,	101-14-4	mg/kg	5	N.D.
24. 3,3'-Dimethoxybenzidine/o-dianisidine,	119-90-4	mg/kg	5	N.D.

===== End of Report =====



Yiwu Chuangbiao Testing Technology Services Co., Ltd

Address: Room 201, 2nd Floor, Building 2, No. 7 Yongjin Road, Futian Street, Yiwu City, Jinhua City, Zhejiang Province, China. Contact information: 15067582799

Note: 1. The entrusted inspection is only responsible for the sample and does not assume any other joint liability; 2. The sample information is provided to the customer, and the laboratory is not responsible for its authenticity; 3. If there are any objections to the inspection report, they should be raised to the testing unit within 30 days from the date of receiving the report, and no longer accepted after the deadline; 4. This report is invalid without the signature or alteration of the approver, and is invalid without the "Inspection and Testing Special Seal"; 5. The responsibilities undertaken by our company shall not exceed a total amount of 5 times the service fee payable as stipulated in the corresponding contract.